

# Experts in underlay



**QUICK PREP SHORTENS DOWNTIME**

**TACKLES PROBLEM FLOORS**

**SOLVES ACOUSTIC ISSUES**



Expert in Acoustic Fast-Track  
Subfloor Preparation Systems

***uniFloor***  
UNDERLAY SYSTEMS

# Jumpax<sup>®</sup> FAMILY

DUAL UNDERLAY SYSTEM

## Jumpax<sup>®</sup> CLASSIC



BY UNIFLOOR



Impact sound killer, suitable for domestic areas. For all stuck down and loose lay sheet resilient floorcoverings and LVT, levels out 3mm per meter.

## Jumpax<sup>®</sup> HD


BY UNIFLOOR



Suitable for heavy duty contract areas. For all stuck down and loose lay sheet resilient floorcoverings, LVT and engineered wood.

## Jumpax<sup>®</sup> NATURE


BY UNIFLOOR



Engineered for use over (uneven) wooden floors. Suitable for heavy duty contract areas. For all stuck down and loose lay sheet resilient floorcoverings, LVT and engineered wood.

## Jumpax<sup>®</sup> ACOUSTIC

BY UNIFLOOR



Engineered for use over (uneven) wooden floors. The ultimate 10 dB impact sound reducing underlay for all stuck down and loose lay sheet resilient floorcoverings, LVT and engineered wood.

\*With LVT covering

The two self-adhesive components are quickly and easily fitted as a free-floating sub-floor, instantly smoothing over typical irregularities and eliminating the need for screeds, primers, ply boards and nails. It is not necessary to remove old floor coverings, loose screeds or even surface contamination. Failures of new floors due to problem substrates, minor cracks or laitance become a thing of the past. Using Jumpax<sup>®</sup> saves considerable time and money.

Scan the QR-Code for the Jumpax<sup>®</sup> installation video



The Jumpax® Family consist out of several fast-track floor preparation systems. Each of them is designed to perfectly compliment a specific type of floor finish and/or base floor situation. Therewith providing the ideal blend of support and surface quality for a prolonged life and enhanced appearance.

**HEAT-PAK®**  
BY UNIFLOOR 7 MM





Designed for installation over all types of floor heating. Very low thermal resistance (TOG rating 0.7) For all stuck down and looselay sheet resilient floorcoverings, LVT.

**HEAT-PAK®+**  
BY UNIFLOOR




Super stable subfloor designed for installation over all types of floor heating. (TOG rating 0.8) For all stuck down and looselay sheet resilient floorcoverings, LVT and engineered wood.

**HEAT-PAK®** **HEAT-FOIL®**  
BY UNIFLOOR 7 MM BY UNIFLOOR



Acoustic fast track floor prep system for all stuck down and looselay sheet resilient floorcoverings over all floor heating and cooling.

**HEAT-PAK®** **HEAT-BLOK®**  
BY UNIFLOOR 7 MM BY UNIFLOOR 6 MM



Fast track floor prep system to be used in combination with electrical floor heating for all stuck down and looselay sheet resilient floorcoverings, LVT.

\*With LVT covering



For us at Unifloor, the use of FSC® certified wood is very important. Environmentally and social appropriate use of the forest means that the forest's productivity, biodiversity and ecological processes are maintained while harvesting the wood. By using FSC wood, we are helping to promote responsible forest management. Therefore Unifloor solely uses raw materials from FSC certified sources.

# Jumpax® accessories



## Your application

	CARPET & CARPET TILES	LINOLEUM / VINYL / RUBBER / CORK	LVT DRY BACK / LVT SELF-ADHESIVE	LVT CLICK	CUSHION VINYL	LAMINATE	ENGINEERED WOOD FLOORING	ECOPEARLS
JUMPAX® CLASSIC	✓	✓	✓	✓	✓	✓		
JUMPAX® HD	✓	✓	✓	✓	✓	✓	✓	✓
JUMPAX® ACOUSTIC	✓	✓	✓	✓	✓	✓	✓	
JUMPAX® NATURE	✓	✓	✓	✓	✓	✓	✓	✓
HEAT-PAK® I.C.W. HEAT-FOIL®	✓	✓	✓	✓	✓			
HEAT-PAK® I.C.W. HEAT-BLOK®	✓	✓	✓	✓	✓			
HEAT-PAK PLUS	✓	✓	✓	✓	✓	✓	✓	

## Our promises

### Acoustic, fast track floor prep system for all resilient floor coverings

- Reduces installation time and costs
- Instant floor levelling with superb smooth finish
- Excellent sound reduction
- For the immediate glue-down of LVT, vinyl, linoleum, rubber, carpet, cork, etc.
- Overcomes many substrate problems

Unifloor B.V.  
Arnsbergstraat 4  
7418 EZ Deventer  
Tel +31 (0)570 855533

UK SALES 07881 451682  
E-mail info@unifloor.nl  
www.unifloor.nl



**unifloor**  
UNDERLAY SYSTEMS