# TÜV Rheinland Nederland B.V.



Return address: P.O. Box 2220, 6802 CE ARNHEM, The Netherlands

Unifloor Underlay Systems Att. Mr. F. Vousten Arnsbergstraat 4 7418 EZ DEVENTER The Netherlands

TÜV Rheinland Nederland B.V. The Netherlands

Postal address: P.O. Box 2220 6802 CE ARNHEM

Parking and delivery: Westervoortsedijk 73 6827 AV ARNHEM

www.tuv.com/nl

T +31 88 888 7888

Jaring.de.Wolff@nl.tuv.com

**Testreport** 

Project number: 89210247 Report number: 89210247.33en Date

26/04/2017

Received:

A floor covering underlay system, marked as: "Jumpax HD 10 mm";

TÜV-reference: MT17-117021.32

Project number 89210247

Report number 89210247.33en

Phone number client +31 (0) 570 85 55 33

Sampling procedure:

The samples are selected by the applicant. The test house has had no influence on the Fax number client sampling procedure.

+31 (0) 570 85 55 44

The samples have been received on 12/01/2017.

Determination of compressive strength according EN 826:2013 and CEN/TS 16354:2013.

**Article** 

Jumpax HD 10 mm

Results:

See page three.

**Appendix** - none -

Appendix:

None.

TRN applies General Terms & Conditions which are filed at the office of the Clerk for civil affairs at the Court in Zutphen (the Netherlands) under number 35/2010, dated November 17th 2010.



# PRODUCT IDENTIFICATION

Applicant : Unifloor Underlay Systems
Product name : Jumpax HD 10 mm\*

\* Applicant's declaration




Figure 1, Picture of the received sample

Date 26/04/2017

Project number 89210247

Report number 89210247.33en

Article Jumpax HD 10 mm

Page 2/3



#### **TEST RESULTS**

Date 26/04/2017

Project number 89210247

Report number 89210247.33en

Article

Jumpax HD 10 mm

Page 3/3

## Determination of compression behaviour

Method EN 826:2013 and CEN/TS 16354:2013

Conditioning

: 23±2 °C and 50±5 %

Date of testing

: 10/04/2017

Dimensions of the tested sample: Square, 200 x 200 mm

Number of tested samples

: 5

Surface treatment

: none

### Test results

Compressive strength in kPa at 0.5 mm strain.

Test no.	Thickness (mm)	Compressive strength (kPa)
Test no. 1	10.33	183
Test no. 2	10.29	188
Test no. 3	10.26	192
Test no. 4	10.28	191
Test no. 5	10.25	193
Mean value	10.28	189

Table 1. Test results.

Author:

Mr. J. de Wolff

Review:

Mr. M.A. van de Vlekkert

All rights reserved.

No part of this report may be reproduced, provided to and/or examined by third parties, and/or published by print, photoprint, microfilm, in electronic form or any other means without the explicit previous written consent of TÜV Rheinland Nederland B.V. The results are based upon the samples received and have not to be representative for the total production. TÜV Rheinland Nederland B.V. had no influence on the sampling.

In case this report was drafted within the context of an assignment to TÜV Rheinland Nederland B.V., the rights and obligations of contracting parties are subject to the General Terms & Conditions for Advisory, Research and Certification assignments to TÜV Rheinland Nederland B.V. and/or the relevant agreement concluded between the contracting parties.

© 2010 TÜV Rheinland Nederland B.V.

(end of report)